on networks™
Easy, Reliable & Secure

Installation Guide

Powerline 200
Home Network Adapter (PL200)



Trademarks

Brand and product names are trademarks or registered trademarks of their respective holders. Information is subject to change without notice.

Statement of Conditions

In the interest of improving internal design, operational function, and/or reliability, On Networks reserves the right to make changes to the products described in this document without notice. On Networks does not assume any liability that may occur due to the use or application of the product(s) or circuit layout(s) described herein.

This symbol is placed in accordance with the European Union Directive 2002/96 on the Waste Electrical and Electronic Equipment (the WEEE Directive). If disposed of within the European Union, this product should be treated and recycled in accordance with the laws of your jurisdiction implementing the WEEE Directive.

LED descriptions

Item	Description
Power LED 	• **Solid green**. The electrical power is on. • **Solid amber.** The adapter is in power saving mode. • **Blinking green**. The adapter is in the process of setting up security. • **Off**. There is no electrical power.
Ethernet LED 	• **Solid green**. The Ethernet port is linked. • **Off**. There is no Ethernet connection.
Performance Indicator	• **Solid green**. The adapter is connected to a Powerline network. • **Off**. The adapter has not found any other compatible Powerline devices using the same encryption key.

Button descriptions



Item	Description
Factory Reset	Press the **Reset** button for 1 second, then release it to return the Power-line adapter to its factory default settings.
Security Button	After you plug in your new AV adapter, press the **Security** button for 2 seconds, then press the security button on one of the other AV adapters in your existing network for 2 seconds. Both buttons must be pressed within 2 minutes.

Install your Powerline adapter

For each Powerline adapter you are adding to your existing Powerline network, do the following:

1. Plug each Powerline adapter into a power outlet.
2. Set up security on your Powerline adapter to add it to your existing Powerline network.

   Press the **Security** button for 2 seconds, then press the **Security** button on one of the other Powerline adapters in your existing network for 2 seconds. Both buttons must be pressed within two minutes.

Note: Do not press the **Security** button on the Powerline adapter until installation is complete and the adapters are communicating with each other (indicated by the blinking Powerline LED). Pressing this button too soon can temporarily disable Powerline communication. If this should occur, use the **Factory Reset** button to return the Powerline adapter to its factory default settings.

3. Connect devices to your Powerline adapter.

To the Ethernet port on the bottom of the Powerline adapter, you can connect a device, such as a router or a computer.

Safety Information

- AC input: 100-240V~, 60m A (Max).
- Operating temperature: 0C~40C.
- The socket-outlet shall be installed near the equipment and shall be easily accessible.

Technical Support

Thank you for selecting On Networks products.

After installing your device, locate the serial number on the label of your product, and use it to register your product at *http://www.on-networks.com/register*. Registration is required before you can use the telephone support service. Registration through *http://www.on-networks.com/register* is strongly recommended.

Go to *http://www.on-networks.com/support/products/pl200* for product updates and web support.

For additional information about setting up, configuring, and using your USB wireless adapter, see the *User Manual*.

For complete DoC, visit *http://www.on-networks.com/doc/pl200*.

For GNU General Public License (GPL) related information, visit *http://www.on-networks.com/gpl*.

on networks™

Easy, Reliable & Secure

201-15130-02

April 2012